

序号	报告编号	发布日期	结论	影像资料
9	GX-B1417/22-4-23087	2023. 12. 25	综合判定：合格。	
10	GX-B1417/22-4-23088	2023. 12. 25	综合判定：合格。	
11	GX-B1417/22-4-23089	2023. 12. 25	综合判定：合格。	

12	GX-B1417/22-4-23090	2023. 12. 25	综合判定：合格。	
13	GX-B1417/22-4-23091	2023. 12. 25	综合判定：合格。	
14	GX-B1417/22-4-23092	2023. 12. 25	综合判定：合格。	

15	GX-B1417/22-4-23093	2023. 12. 25	综合判定：合格。	
16	GX-B1417/22-4-23094	2023. 12. 25	综合判定：合格。	
17	GX-B1417/22-4-23095	2023. 12. 25	综合判定：合格。	

18	GX-B1417/22-4-23096	2023. 12. 25	综合判定：合格。	
19	GX-B1417/22-4-23097	2023. 12. 25	综合判定：合格。	
20	GX-B1417/22-4-23098	2023. 12. 25	综合判定：合格。	

21	GX-B1417/22-4-23099	2023. 12. 25	综合判定：合格。	 <p>2023/12/3</p>
22	GX-B1417/22-4-23100	2023. 12. 25	综合判定：合格。	 <p>2023/12/3</p>
23	GX-B1417/22-4-23101	2023. 12. 25	综合判定：合格。	 <p>2023/12/3</p>

24	GX-B1417/22-4-23102	2023. 12. 25	综合判定：合格。	
25	GX-B1417/22-4-23103	2023. 12. 25	综合判定：合格。	
26	GX-B1417/22-4-23104	2023. 12. 25	综合判定：合格。	

27	GX-B1417/22-4-23105	2023. 12. 25	综合判定：合格。	
28	GX-B1417/22-4-23106	2023. 12. 25	综合判定：合格。	
29	GX-B1417/22-4-23107	2023. 12. 25	综合判定：合格。	

30	GX-B1417/22-4-23108	2023. 12. 25	综合判定：合格。	
31	GX-B1417/22-4-23109	2023. 12. 25	综合判定：合格。	
32	GX-B1417/22-4-23110	2023. 12. 25	综合判定：合格。	



33	GX-B1417/22-4-23111	2023. 12. 25	综合判定：合格。	
34	GX-B1417/22-4-23112	2023. 12. 25	综合判定：合格。	
35	GX-B1417/22-4-23113	2023. 12. 25	综合判定：合格。	

36	GX-B1417/22-4-23114	2023. 12. 25	综合判定：合格。	
37	GX-B1324/21-4-23025~23026	2023. 12. 26	本次共检三相交流电动机 2台，2台三相交流电动机 所检项目合格。	
38	GX-B1416/22-4-23032	2023. 12. 26	综合判定：合格。	

39	GX-B1416/22-4-23033	2023. 12. 26	综合判定：合格。	
40	GX-B1416/22-4-23034	2023. 12. 26	综合判定：合格。	
41	GX-B1416/22-4-23035	2023. 12. 26	综合判定：合格。	

42	GX-B1404/20-4-23036	2023. 12. 27	所检电网谐波电压总谐波畸变率、各次谐波电压含有率、谐波电流符合GB/T 14549-1993 《电能质量 公用电网谐波》要求。	
43	GX-B1404/20-4-23037	2023. 12. 27	所检电网谐波电压总谐波畸变率、各次谐波电压含有率、谐波电流符合GB/T 14549-1993 《电能质量 公用电网谐波》要求。	
44	GX-B1404/20-4-23038	2023. 12. 27	所检电网谐波电压总谐波畸变率、各次谐波电压含有率、谐波电流符合GB/T 14549-1993 《电能质量 公用电网谐波》要求。	

45	GX-B1404/20-4-23039	2023. 12. 27	所检电网谐波电压总谐波畸变率、各次谐波电压含有率、谐波电流符合GB/T 14549-1993 《电能质量 公用电网谐波》要求。	
46	GX-B1404/20-4-23040	2023. 12. 27	所检电网谐波电压总谐波畸变率、各次谐波电压含有率、谐波电流符合GB/T 14549-1993 《电能质量 公用电网谐波》要求。	
47	GX-B1404/20-4-23041	2023. 12. 27	所检电网谐波电压总谐波畸变率、各次谐波电压含有率、谐波电流符合GB/T 14549-1993 《电能质量 公用电网谐波》要求。	

48	GX-B1404/20-4-23042	2023. 12. 27	所检电网谐波电压总谐波畸变率、各次谐波电压含有率、谐波电流符合GB/T 14549-1993 《电能质量 公用电网谐波》要求。	
49	GX-B1404/20-4-23043	2023. 12. 27	所检电网谐波电压总谐波畸变率、各次谐波电压含有率、谐波电流符合GB/T 14549-1993 《电能质量 公用电网谐波》要求。	
50	GX-B1404/20-4-23044	2023. 12. 27	所检电网谐波电压总谐波畸变率、各次谐波电压含有率、谐波电流符合GB/T 14549-1993 《电能质量 公用电网谐波》要求。	


51	GX-B1404/20-4-23045	2023. 12. 27	所检电网谐波电压总谐波畸变率、各次谐波电压含有率、谐波电流符合GB/T 14549-1993 《电能质量 公用电网谐波》要求。		
52	GX-B1404/20-4-23046	2023. 12. 27	所检电网谐波电压总谐波畸变率、各次谐波电压含有率、谐波电流符合GB/T 14549-1993 《电能质量 公用电网谐波》要求。		
53	GX-B1404/20-4-23047	2023. 12. 27	所检电网谐波电压总谐波畸变率、各次谐波电压含有率、谐波电流符合GB/T 14549-1993 《电能质量 公用电网谐波》要求。		

54	GX-B1559/22-4-23022	2023. 12. 27	所检项目合格。	 2023/12/8
55	GX-B1559/22-4-23023	2023. 12. 27	所检项目合格。	 2023/12/8
56	GX-B1559/22-4-23024	2023. 12. 27	所检项目合格。	 2023/12/8



57	GX-B1559/22-4-23025	2023. 12. 27	所检项目合格。	 <p>2023/12/8</p>
58	GX-B1559/22-4-23026	2023. 12. 27	所检项目合格。	 <p>2023/12/8</p>
59	GX-B1559/22-4-23027	2023. 12. 27	所检项目合格。	 <p>2023/12/8</p>

60	GX-B1559/22-4-23028	2023.12.27	所检项目合格。	 2023/12/8	
61	GX-B1559/22-4-23029	2023.12.27	所检项目合格。	 2023/12/8	
62	GX-B1310/21-4-23187	2023.12.27	符合标准要求	 2023.12.3	

63	GX-B1428/21-4-23187	2023. 12. 27	无缺陷迹痕显示	
64	GX-B1310/21-4-23188	2023. 12. 27	符合标准要求	
65	GX-B1428/21-4-23188	2023. 12. 27	无缺陷迹痕显示	

66	GX-B1310/21-4-23189	2023. 12. 27	符合标准要求	
67	GX-B1310/21-4-23190	2023. 12. 27	符合标准要求	
68	GX-B1310/21-4-23191	2023. 12. 27	符合标准要求	

69	GX-B1310/21-4-23192	2023. 12. 27	符合标准要求	 2023. 12. 5
70	GX-B1310/21-4-23193	2023. 12. 27	符合标准要求	 2023. 12. 5
71	GX-B1310/21-4-23194	2023. 12. 27	符合标准要求	 2023. 12. 5

72	GX-B1310/21-4-23195	2023. 12. 27	符合标准要求	
73	GX-B1306/23-4-23060	2023. 12. 28	综合判定：合格	
74	GX-B1306/23-4-23061	2023. 12. 28	综合判定：合格	


75	GX-B1323/21-4-23317~23320	2023. 12. 28	本次共检三相交流电动机4台，4台三相交流电动机所检项目合格。	
76	GX-B1383/21-4-23008	2023. 12. 28	所检项目合格。	
77	GX-B1383/21-4-23009	2023. 12. 28	所检项目合格。	

78	GX-B1416/22-4-23309~23310	2023. 12. 28	本次共检三相交流电动机 2台，2台三相交流电动机 所检 项目合格	
79	GX-B1416/22-4-23310~23311	2023. 12. 28	本次共检三相交流电动机 2台，2台三相交流电动机 所检 项目合格	
80	GX-B1416/22-4-23313	2023. 12. 28	本次共检三相交流电动机 1台，1台三相交流电动机 所检 项目合格	



81	GX-B1306/23-4-23062	2023. 12. 29	综合判定：合格。	
82	GX-B1306/23-4-23063	2023. 12. 29	综合判定：合格。	
83	GX-B1306/23-4-23064	2023. 12. 29	综合判定：合格。	




84	GX-B1306/23-4-23065	2023. 12. 29	综合判定：合格。	
85	GX-B1415/22-4-23016	2023. 12. 29	所检项目合格	
86	GX-B1415/22-4-23017	2023. 12. 29	所检项目合格	




87	GX-B1415/22-4-23018	2023. 12. 29	所检项目合格	
88	GX-B1499/21-4-23116	2023. 12. 29	所检项目合格。	
89	GX-B1499/21-4-23117	2023. 12. 29	所检项目合格。	

90	GX-B1499/21-4-23118	2023. 12. 29	所检项目合格。			
91	GX-B1499/21-4-23119	2023. 12. 29	所检项目合格。			
92	GX-B1499/21-4-23120	2023. 12. 29	所检项目合格。			

93	GX-B1499/21-4-23121	2023. 12. 29	所检项目合格。			
94	GX-B1499/21-4-23122	2023. 12. 29	所检项目合格。			
95	GX-B1499/21-4-23123	2023. 12. 29	所检项目合格。			

96	GX-B1499/21-4-23124	2023. 12. 29	所检项目合格。			
97	GX-B1499/21-4-23125	2023. 12. 29	所检项目合格。			
98	GX-B1499/21-4-23126	2023. 12. 29	所检项目合格。			

99	GX-B1499/21-4-23127	2023. 12. 29	所检项目合格。	
100	GX-B1499/21-4-23128	2023. 12. 29	所检项目合格。	
101	GX-B1499/21-4-23129	2023. 12. 29	所检项目合格。	

102	GX-B1499/21-4-23130	2023. 12. 29	所检项目合格。	
103	GX-B1499/21-4-23131	2023. 12. 29	所检项目合格。	
104	GX-B1499/21-4-23132	2023. 12. 29	所检项目合格。	



105	GX-B1499/21-4-23133	2023. 12. 29	所检项目合格。			
106	GX-B1499/21-4-23134	2023. 12. 29	所检项目合格。			
107	GX-B1499/21-4-23135	2023. 12. 29	所检项目合格。			

108	GX-B1499/21-4-23136	2023. 12. 29	除水泵效率低、吨水百米电耗超限外，其余所检项目合格。			
109	GX-B1499/21-4-23137	2023. 12. 29	所检项目合格。			
110	GX-B1499/21-4-23138	2023. 12. 29	除水泵效率低、吨水百米电耗超限外，其余所检项目合格。			


111	GX-B1499/21-4-23139	2023. 12. 29	所检项目合格。			
112	GX-B1499/21-4-23140	2023. 12. 29	所检项目合格。			
113	GX-B1499/21-4-23141	2023. 12. 29	除吨水百米电耗超限外， 其余所检项目合格。			

114	GX-B1499/21-4-23142	2023. 12. 29	除吨水百米电耗超限外， 其余所检项目合格。	
115	GX-B1499/21-4-23143	2023. 12. 29	除吨水百米电耗超限外， 其余所检项目合格。	
116	GX-B1499/21-4-23144	2023. 12. 29	除吨水百米电耗和振动超 限外，其余所检项目合格 。	

117	GX-B1499/21-4-23145	2023. 12. 29	除吨水百米电耗超限外， 其余所检项目合格。	
118	GX-B1323/21-4-23314	2023. 12. 29	本次共检三相交流电动机 1台，1台三相交流电动机 所检项目合格。	
119	GX-B1323/21-4-23315	2023. 12. 29	本次共检三相交流电动机 1台，1台三相交流电动机 所检项目合格。	

120	GX-B1323/21-4-23316	2023. 12. 29	本次共检三相交流电动机1台，1台三相交流电动机所检项目合格。	
121	GX-B1314/21-4-23033	2023. 12. 29	所检项目合格。	
122	GX-B1314/21-4-23034	2023. 12. 29	所检项目合格。	

123	GX-B1314/21-4-23035	2023. 12. 29	所检项目合格。	
124	GX-B1499/21-4-23146	2023. 12. 29	除吨水百米电耗超限外， 其余所检项目合格。	
125	GX-B1499/21-4-23147	2023. 12. 29	除吨水百米电耗超限外， 其余所检项目合格。	

126	GX-B1499/21-4-23148	2023. 12. 29	除吨水百米电耗超限外， 其余所检项目合格。	
-----	---------------------	--------------	--------------------------	---